



**RAFFA'S**

**COFFEE MACHINES**

**RAFFAS.CO.ZA**



# EQUIPMENT

## COFFEE



### CIPRIANI

**GRI1300**  
COFFEE GRINDER / DOSER / SUPER JOLLY  
WITH TIMER 1.2KG

#### SPECIFICATIONS

POWER: 350W  
GRINDING BLADE SPEED: 1400 (50HZ)  
COFFEE - BEAN  
CONTAINER CAPACITY: 1.2KG  
GROUND COFFEE  
CONTAINER CAPACITY: 280G  
WEIGHT: 14KG



### ACCESSORIES - OPTIONAL EXTRAS



### CIPRIANI

**EMK0001**  
ESPRESSO MACHINE  
KNOCK BOX

**XEMS0001**  
ESPRESSO MACHINE  
SINGLE PORTABLE FILTER  
[COMPLETE] (SOLD SEPARATELY)

**EMC0002**  
ESPRESSO MACHINE  
CLEANING KIT

#### INCLUDES

- Clean express
- Clean brush
- Rubber blind filter

**CTC0001**  
COFFEE TAMPER  
MILD STEEL (CHROME PLATED)  
57MM - 720G



### AVENIA

**URA0030-R01**  
URN ELECTRIC AVENIA - 30LT  
SPECIFICATIONS

POWER: 2.5KW  
VOLTAGE: 230V - 50HZ  
DIMENSIONS: 354 X 415 X 700MM  
NET WEIGHT: 5.7KG  
CAPACITY: 30LT

**URA0020-R01**  
URN ELECTRIC AVENIA - 30LT  
SPECIFICATIONS

POWER: 2.5KW  
VOLTAGE: 230V - 50HZ  
DIMENSIONS: 354 X 415 X 680MM  
NET WEIGHT: 5.2KG  
CAPACITY: 20LT

**URA0016-R01**  
URN ELECTRIC AVENIA - 16LT  
SPECIFICATIONS

POWER: 2.5KW  
VOLTAGE: 230V - 50HZ  
DIMENSIONS: 354 X 415 X 510MM  
NET WEIGHT: 5.2KG  
CAPACITY: 16LT



### MAZZER

**GRI1330**  
COFFEE GRINDER / DOSER /  
SUPER JOLLY ELECTRIC WITH  
TIMER - 1.2KG



# EQUIPMENT

## COFFEE



### FEATURES

- Black in colour
- 2 steam wands
- 1 hot water outlet
- Remove S/Steel system wands
- 2 portafilters
- Includes everpure filtration with installation pipes & brass fittings
- Direct water mains
- Direct water drainage pipez

NEW



NEW



### CIPRIANI

#### EMF3312 ESPRESSO MACHINE - FULLY AUTOMATIC SPECIFICATIONS

HEIGHT: 135MM  
VOLTAGE: 220 - 240V  
POWER: 3000W  
BOILER SIZE: 11.5LT BRASS  
WEIGHT: 75KG  
DIMENSIONS: 760 X 460 X 560MM

### CIPRIANI

#### EMS3312 ESPRESSO MACHINE - SEMI AUTOMATIC SPECIFICATIONS

HEIGHT: 135MM  
VOLTAGE: 220 - 240V  
POWER: 3000W  
BOILER SIZE: 11.5LT BRASS  
WEIGHT: 75KG  
DIMENSIONS: 760 X 460 X 560MM



## AUTOMATIC - BEAN TO CUP

The Bravilor Bonamat Bean to cup is a fully automatic espresso machine. It uses freshly ground beans to prepare all its coffee specialities. The machine is available in 2 models, namely the Esprecious 12 and Esprecious 11L [with FreshMilk].

The Esprecious 11L is supplied complete with the FreshMilk. The FreshMilk has been specially designed for the Esprecious espresso machine. The Bravilor Bonamat cooling system keeps the milk at a constant 4 degrees. The milk frother inside the Esprecious creates a milk foam as light as air. The whipping process of fresh cold milk, steam and air creates milk foam of superb quality. A major advantage of the FreshMilk is that it is controlled by the Esprecious touchscreen. Daily cleaning and rinsing activities are selected via the touchscreen, with visual and acoustic feedback.

### FEATURES

- Ease of use: intuitive touchscreen
- Double dispensing outlet for serving two cups simultaneously
- Automatic rinsing program to optimise the in-cup quality
- Separate hot water outlet for e.g. tea
- Unique hot water system to reduce scaling, reduces the maintenance requirement

2 YEAR



COFFEE BEANS



### ESPRECIOS 12 BVE1000

#### SPECIFICATIONS

OUTPUT	: 200 CUPS PER DAY
CAPACITY BEAN CANISTER	: 1 X 1.4KG
CAPACITY INSTANT CANISTERS	: 2 X 1.3LT
NO. OF GRINDERS	: 1
WATER SUPPLY	: Yes
POWER	: 230V 50/60Hz - 2250W
DIMENSIONS	: 330 X 570 X 660MM



### ESPRECIOS FRESH MILK 11LT BEM1101

#### SPECIFICATIONS

OUTPUT	: 200 CUPS PER DAY
CAPACITY BEAN CANISTER	: 1 X 1.4KG
CAPACITY INSTANT CANISTERS	: 1 X 3.2LT
NO. OF GRINDERS	: 1
WATER SUPPLY	: Yes
POWER	: 230V 50/60Hz - 2300W
DIMENSIONS	: 570 - 620 X 570 X 660MM

#### Note

Fridge included

## AUTOMATIC - BEAN TO CUP

The Sego is one of Bravilor Bonamat's fully automatic espresso machines. All coffee specialities are made using freshly ground coffee beans. The extensive touchscreen menu offers 30 beverage choices. The Sego is suitable for many locations and takes up very little space thanks to its compact footprint.

### FEATURES

- Easy, quick installation
- Intuitive touchscreen
- Menu with up to 30 beverage choices
- Unique rotational brewer that's easy to remove and clean
- 2 instant ingredient canisters
- Maintenance friendly

### SEGO BVS1200

#### SPECIFICATIONS

OUTPUT	: 120 CUPS PER DAY
CAPACITY BEAN CANISTER	: 1 X 1.2 KG
CAPACITY INSTANT CANISTERS	: 2 X 1.3KG (30LT)
NO. OF GRINDERS	: 1
WATER SUPPLY	: Yes
WATER DRAINAGE	: No
POWER	: 30V - 50/60HZ 2290W
DIMENSIONS	: 315 X 450 X 590MM

2 YEAR



COFFEE BEANS



### FEATURES

- 1 canister for coffee beans.
- 1 canister for an instant ingredient, such as cocoa.
- Integrated milk system for the fresh milk (separate steam boiler and milk frother)



### SEGO FRESH MILK 11LT BSF1000

#### SPECIFICATIONS

OUTPUT	: 120 CUPS PER DAY
CAPACITY BEAN CANISTER	: 1 X 1.2 KG
CAPACITY INSTANT CANISTERS	: 1 X 3.2 LITRES (11LT)
POWER	: 230V - 50/60HZ 2190W
DIMENSIONS	: 325 X 535 X 590MM

#### Note

Fridge sold separately

### SEGO FRESH MILK FRIDGE BSF1002

#### SPECIFICATIONS

CAPACITY	: 1110ML
POWER	: 100 - 240V~ 50/60HZ 18W
DIMENSIONS	: 150 X 190 X 240MM

2 YEAR

NEW



COFFEE BEANS



## AUTOMATIC - INSTANT MACHINE

### FEATURES

- Quick and user-friendly
- Made from sturdy high-quality materials such as S/Steel and BPA-free plastics.
- Coffee strength and size (S/M/L) can be selected on-screen
- Patented mixing systems which greatly reduce any build-up of ingredients
- Day and cumulative counters
- Eco mode and boiler isolation for reduced energy consumption
- Touchscreen menu offers 36 beverage choices

2 YEAR WARRANTY

NEW



### BOLERO 43 BVI0043

#### SPECIFICATIONS

OUTPUT	: 200 CUPS PER DAY
CAPACITY INSTANT CANISTERS	: 4 X 1.3 LT
POWER	: 230V~ 50/60Hz 2230W
TAP HEIGHT	: 120MM
DIMENSIONS	: 315 X 440 X 590MM
WATER SUPPLY	: Yes



## QUICK FILTER - POUR OVER

### FEATURES

- Two self-regulating hot plates that re-adjust the temperature according to the amount of coffee in the decanter
- Used for immediate service
- Coffee should be served within 30 minutes of being brewed
- Without water connection

2 YEAR WARRANTY



GROUND COFFEE



### NOVO WITH 2 JUGS CMB0001

#### SPECIFICATIONS

OUTPUT	: 18LT/144 cups/HR
BREWING TIME	: 1.7LT in 5min
POWER	: 2.1kW - 230 - 50 / 60Hz - 2100W
DIMENSIONS	: 214 X 391 X 424MM

#### OTHER ORDER CODES

- COFFEE MACHINE FILTERS 4 X 250 FILTERS  
CMF1000
- COFFEE MACHINE JUG GLASS WITH LID - 1.7LT  
CMJ0002



### FEATURES

- The machine can be manually filled with water and therefore be placed anywhere
- Easy operation and maintenance
- Vacuum flask included for maintaining the correct temperature for the coffee

2 YEAR WARRANTY

NEW



GROUND COFFEE



### ISO CMB2002

#### SPECIFICATIONS

OUTPUT	: 18LT/144 cups/HR
BREWING TIME	: 2LT in 6min
CONNECTION	: 230V - 50/60Hz 2000W
DIMENSIONS	: 214 X 391 X 465MM

#### OTHER ORDER CODES

- COFFEE MACHINE FILTERS 4 X 250 FILTERS  
CMF1000


## AIRPOT BREWERS

### FEATURES

- The THA brews delicious fresh filter coffee directly into an Airpot that keeps your coffee hot and fresh for extended periods



2 YEAR WARRANTY



### AIRPOT 15LT P/H ABB0015

#### SPECIFICATIONS

OUTPUT	: 15LT / 120 Cups/HR
BREWING TIME	: 2.2LT in 8min
POWER	: 230 - 50 / 60Hz - 2310W
DIMENSIONS	: 235 X 406 X 545MM
	Water connection

#### OTHER ORDER CODES

**VACUUM AIRPOT WITH GLASS INNER - 2.2LT**  
ABB0022

**COFFEE MACHINE FILTERS 4 X 250 FILTERS**  
CMF1000



#### Note

Airpots sold separately



2 YEAR WARRANTY



### AIRPOT 19LT P/H ABB2022

#### SPECIFICATIONS

OUTPUT	: 19LT P/H 152 Cups/HR
BREWING TIME	: 2.2LT in 7min
POWER	: 230 - 50 / 60Hz - 2310W
DIMENSIONS	: 235 X 406 X 545MM
	Manual water filling

#### OTHER ORDER CODES

**VACUUM AIRPOT WITH GLASS INNER - 2.2LT**  
ABB0022

**COFFEE MACHINE FILTERS 4 X 250 FILTERS**  
CMF1000

#### Note

Airpots sold separately

## BULK BREWERS

### FEATURES

- Ideal for busy institutions to produce large quantities of coffee in short periods of time, easy to use
- Total and daily counters, digital control panel, direct brewing into containers
- Easy to transport for coffee to be served anywhere, at any time

2 YEAR WARRANTY



2 YEAR WARRANTY



### 2 X 5LT BBB2005

#### SPECIFICATIONS

OUTPUT	: 30LT/240 cups/HR
HOLDING CAPACITY	: 10LT (2 X 5LT)
BREWING TIME	: Approx 5LT in 10min
POWER	: 230 - 50/60Hz - 3130W
DIMENSIONS	: 635 X 440 X 799MM
	Water connection without brewing basket for use with flat filter paper

### 2 X 10LT BBB2010

#### SPECIFICATIONS

OUTPUT	: 60LT/480 cups/HR
HOLDING CAPACITY	: 20LT (2 X 10LT)
BREWING TIME	: Approx 10LT in 10min
POWER	: 400 - 50/60Hz - 6800W
DIMENSIONS	: 955 X 512 X 840MM
	Water connection without brewing basket for use with flat filter paper

### 2 X 20LT BBB2020

#### SPECIFICATIONS

OUTPUT	: 90LT/720 cups/HR
HOLDING CAPACITY	: 40LT (2 X 20LT)
BREWING TIME	: Approx 20LT in 14min
POWER	: 400 - 50/60Hz - 9240W
DIMENSIONS	: 1175 X 600 X 947MM
	Water connection without brewing basket for use with flat filter paper



#### OTHER ORDER CODES - ON INDENT ONLY

### BULK BREWER URN

CUB0005	- 5LT
CUB0010	- 10LT
CUB0020	- 20LT

## ESPRESSO MACHINES

## FEATURES

- 1 hot water outlet
- Remove S/Steel system wands
- 2 portafilters
- Includes everpure filtration with installation pipes & brass fittings
- Direct water mains
- Direct water drainage pipe

NEW


**FULLY AUTOMATIC  
EMF3312**

## SPECIFICATIONS

HEIGHT	: 135MM
VOLTAGE	: 220 - 240V
POWER	: 3000W
BOILER SIZE	: 11.5LT Brass
WEIGHT	: 75KG
DIMENSIONS	: 760 X 460 X 560MM



## COFFEE GRINDER

## FEATURES

- 64MM flatt grinding burrs
- 2 programmable buttons and an auto dose function
- Dose counter on digital display

NEW


**SUPER JOLLY ELECTRIC  
WITH TIMER - 1.2KG  
GRI3300**

## SPECIFICATIONS

POWER	: 350W
GRINDING BLADE SPEED	: 1400 - 1600 R.P.M
COFFEE-BEAN CONTAINER CAPACITY	: 1.2KG
WEIGHT	: 14KG

▲


**SUPER JOLLY WITH TIMER 1.2KG  
GRI1300**

## SPECIFICATIONS

POWER	: 350W
GRINDING BLADE SPEED	: 1400 (50 Hz)
COFFEE-BEAN CONTAINER CAPACITY	: 1.2KG
GROUND COFFEE CONTAINER CAPACITY	: 280G
WEIGHT	: 14KG



## GRINDER DOSER

## FEATURES

- Suitable for bars with medium consumption needs
- Stepless micrometrical grinding adjustment
- With time switch
- 64MM Grinding blades
- Dose adjustment 5.5 to 8G

## ACCESSORIES


**ESPRESSO MACHINE  
SINGLE PORTABLE  
FILTER  
XEMS0001**
**ESPRESSO MACHINE  
KNOCK BOX  
EMK0001**

**ESPRESSO MACHINE  
CLEANING KIT  
EMC0002**

**Includes**  
Clean Express  
Clean Brush  
Rubber Blind Filter


**COFFEE TAMPER  
MILD STEEL  
CTC0001  
57MM - 720G  
CHROME PLATED**

**Note**  
sold separately

## COFFEE PERCOLATOR

## FEATURES

- Freshly percolated coffee
- Double walled S/Steel container and steel filter

- Boil dry safety and a heating element to maintain the coffee temperature
- Fitted with gauge glass

2 YEAR


**15LT  
CPL0115**

## SPECIFICATIONS

POWER	: 1500W
DIMENSIONS	: 510 X 330MM
HOLDING CAPACITY	: 11LT
HOURLY CAPACITY	: 15LT
MANUAL FILLING TAP WEIGHT	: 115MM


**BRAVILOR  
BONAMAT**

## URNS

The stylish Avenia urn will boil water very quickly and is suitable for caterers, schools, offices, and the durable plastic handles makes it safe and easy to move around. These urns are offered in 16, 20 and 30 liters making it easy to serve hot beverages to large audiences

## FEATURES

- Sight glass water level indicator
- Built-in boil dry protection
- Cool touch plastic handles
- Power and keep warm pilot lights
- 2,5kW embedded element boils water quickly

NEW


**16LT  
URA0016-R01**

## SPECIFICATIONS

POWER :	: 2.5kW
VOLTAGE :	: 230V
DIMENSIONS :	: 354 X 415 X 510MM
NET WEIGHT :	: 5.2KG
CAPACITY :	: 16LT

**20LT  
URA0020-R01**

## SPECIFICATIONS

POWER	: 2.5kW
VOLTAGE	: 230V
DIMENSIONS	: 354 X 415 X 680MM
NET WEIGHT	: 5.2KG
CAPACITY	: 20LT

**30LT  
URA0030-R01**

## SPECIFICATIONS

POWER	: 2.5kW
VOLTAGE	: 230V
DIMENSIONS	: 354 X 415 X 700MM
NET WEIGHT	: 5.7KG
CAPACITY	: 30LT

**avenia**

## QUICK FILTER - POUR OVER

### FEATURES

- Power switch
- Water entrance
- Brewing indicator
- Brew basket (also known as filter pan)

- Decanter (coffee pot or airpot)
- Hot plate
- Switch for upper hot plate
- Upper hot plate



### WITH 2 JUGS CMA2001

#### SPECIFICATIONS

VOLTAGE	: 230V
OUTPUT	: 12 CUPS
BREWING TIME	: 1.8LT in 7min
WEIGHT	: 6.2KG
CONTROL TYPE	: Manual
MAXIMUM POWER	: 2060W
DIMENSIONS	: 203 X 383 X 455MM
JUG CAPACITY	: 1.8LT

#### OTHER ORDER CODES

**JUG GLASS - NO LID 1.8LT**  
CMJ0001

## AIRPOT BREWER

### FEATURES

- Keeps coffee hot for hours
- Pump action serving
- Convenient carry handle
- Dispensing tube agitates coffee to avoid mixed concentrations

- S/Steel vacuum airpot
- Durable S/Steel pour-over funnel
- Large water reservoir
- Overheat protection



### 2.2LT CMA2002

#### SPECIFICATIONS

VOLTAGE	: 230V
OUTPUT	: 2LT / 13 CUPS
BREWING TIME	: 2LT in 8min
WEIGHT	: 6.5KG
CONTROL TYPE	: Manual
MAXIMUM POWER	: 1900W
DIMENSIONS	: 205 X 405 X 527MM
JUG CAPACITY	: 2.2LT

#### OTHER ORDER CODES

**VACUUM AIRPOT (REPLACEMENT)**  
VPS0020 - 2LT

## FLASKS



**THERMO FLASK WHITE  
GLASS INNER**  
TFW0001  
1LT



**THERMO FLASK BLACK  
GLASS INNER**  
TFB0001  
1LT



**VACUUM FLASK  
S/STEEL INSULATED**  
VPS0150 - 1.5LT  
VPS0200 - 2LT



**VACUUM FLASK  
S/STEEL INNER**  
VFS0022 - 2.5LT  
VFS0035 - 3.5LT



**VACUUM FLASK  
S/STEEL**  
VPS0010 - 1.2LT  
VPS0015 - 1.5LT  
VPS0020 - 2.0LT



**VACUUM AIRPOT**  
ABB0022  
2.2LT



Ideal for use with TH series



Double pump system

## JUGS



**COFFEE MACHINE  
JUG GLASS WITH  
LID**  
CMJ0002  
1.7LT



**COFFEE MACHINE  
JUG GLASS - NO  
LID**  
CMJ0001  
1.8LT




**COFFEE  
DECANTER  
S/STEEL & LID**  
CDA0020  
2LT



**MILK FROTHING**  
MFJ0600 - 600ML  
MFJ1000 - 1LT  
MFJ1500 - 1.5LT



**NIPON**  
CTP0600  
600ML



**JAPANESE**  
CTP0800  
800ML

### Note

Ideal for milk frothing

## FEATURES

- Manufactured from Stainless Steel 304
- Built-in, concealed heating element with "dry-boil" protection
- Fitted with cool-touch handles
- Fitted with a non-drip tap and clear water gauge
- Supplied with a removable drip tray
- Double walled body for improved insulation
- Waterproof on/off switch for improved safety
- Equipped with a "twist-lock" lid to avoid spilling
- Supplied with an internal, stainless steel coffee strainer
- Available in black(matt) and stainless steel



### 18 LITRE

MODEL CaterLot 0018  
 ELECTRICITY 1.5kW, 220V, Single Phase  
 DIMENSIONS Ø310 x 581mm high  
 WEIGHT 5kg  
 CAPACITY 18Lt

Stainless steel  
 Matt black

**CBC0018**  
**CBC0018-B**

#### REMOVABLE DRIP TRAY



### 14 LITRE

MODEL CaterLot 0014  
 ELECTRICITY 1.5kW, 220V, Single Phase  
 DIMENSIONS Ø310 x 517mm high  
 WEIGHT 4kg  
 CAPACITY 14Lt

Stainless steel  
 Matt black

**CBC0014**  
**CBC0014-B**

#### COOL-TOUCH HANDLES



### 8 LITRE

MODEL CaterLot 0008  
 ELECTRICITY 0.95kW, 220V, Single Phase  
 DIMENSIONS Ø230 x 504mm high  
 WEIGHT 3kg  
 CAPACITY 8Lt

Stainless steel  
 Matt black

**CBC0008**  
**CBC0008-B**

#### TWIST-LOCK LID

