



RAFFA'S

DECK OVENS

RAFFAS.CO.ZA



DECK OVENS - ELECTRIC

FEATURES

- Robust construction
- Front face S/Steel
- Side, top and rear panels painted mild steel
- 120min mechanical timer
- Max temperature 300°C
- Glass viewing window
- Top and bottom elements are independently controlled
- Interior light

2 YEAR WARRANTY



2 TRAYS - SINGLE

DOA3001-R01

SPECIFICATIONS

CAPACITY	: 4 Standard size pizzas 300MM
VOLTAGE	: 230V - (Can be wired as 1 or 3 phase)
POWER	: 6.5kW
DIMENSIONS	: 1220 X 875 X 570MM
CHAMBER DIMENSIONS	: 870 X 660 X 200MM
WEIGHT	: 68KG
INCLUDES	: 2 Baking trays - 600 X 400MM

2 YEAR WARRANTY



4 TRAYS - DOUBLE

DOA30021-R01

SPECIFICATIONS

CAPACITY	: 8 Standard size pizzas 300MM
VOLTAGE	: 380V - 3 phase (N+E)
POWER	: 13kW
DIMENSIONS	: 1220 X 875 X 950MM
CHAMBER DIMENSIONS	: 870 X 660 X 200MM
WEIGHT	: 127KG
INCLUDES	: 4 Baking trays - 600 X 400MM

2 YEAR WARRANTY



6 TRAYS - TRIPLE

DOA30031-R01

SPECIFICATIONS

CAPACITY	: 12 Standard size pizzas 300MM
VOLTAGE	: 380V - 3 phase (N+E)
POWER	: 19.5kW
DIMENSIONS	: 1220 X 875 X 1451MM
CHAMBER DIMENSIONS	: 870 X 660 X 200MM
WEIGHT	: 175KG
INCLUDES	: 6 Baking trays - 600 X 400MM

9 TRAYS - TRIPLE

DOA40031-R01

SPECIFICATIONS

CAPACITY	: 18 Standard size pizzas 300MM
VOLTAGE	: 380V - 3 phase (N+E)
POWER	: 29.25kW
DIMENSIONS	: 1620 X 875 X 1500MM
CHAMBER DIMENSIONS	: 1480 X 660 X 200MM
WEIGHT	: 225KG
INCLUDES	: 9 Baking trays - 600 X 400MM

OTHER ORDER CODES

CERAMIC PLATE - 600 X 400MM

DOA0011

STAND ONLY -M/STEEL (BLACK)

DOS0002

DECK OVEN STACKING KIT

DOS1001

DECK OVENS - GAS

FEATURES

- Robust construction with S/Steel facia panel and door
- Max temperature 300°C
- Unique burner design for even temperature distribution
- Glass viewing window
- Top and bottom burners thermostatically controlled
- Interior light
- Includes timer
- Fully automatic ignition system

2 YEAR
WARRANTY



2 TRAYS - SINGLE

DOA50011-R01

SPECIFICATIONS

CAPACITY	: 4 Standard size pizza - 300MM
GAS	: LPG
OUTPUT	: 36000 BTU
VOLTAGE	: 230V - 50Hz
POWER	: 0.2kW
DIMENSIONS	: 1340 X 900 X 630MM
CHAMBER DIMENSIONS	: 860 X 640 X 200MM
WEIGHT	: 100KG
INCLUDES	: 2 Baking trays - 600 X 400MM
REGULATOR	: No

Note

Heavy duty gas products to be connected by an approved gas installer

2 YEAR
WARRANTY



4 TRAYS - DOUBLE

DOA50021-R01

SPECIFICATIONS

CAPACITY	: 8 Standard size pizza - 300MM
GAS	: LPG
POWER OUTPUT	: 72000 BTU
VOLTAGE	: 230V
POWER	: 0.4kW
DIMENSIONS	: 1340 X 900 X 1260MM
CHAMBER DIMENSIONS	: 860 X 640 X 200MM (Each)
WEIGHT	: 170KG
INCLUDES	: 4 Baking trays - 600 X 400MM
REGULATOR	: No

Note

Heavy duty gas products to be connected by approved gas installer

DECK OVEN - GAS



6 TRAYS - TRIPLE

DOA50031-R01

SPECIFICATIONS

CAPACITY	: 12 Standard size pizza - 300MM
GAS	: LPG
POWER OUTPUT	: 108000 BTU
VOLTAGE	: 230V
POWER	: 0.6kW
DIMENSIONS	: 1340 X 900 X 1720MM
CHAMBER DIMENSIONS	: 860 X 640 X 200MM (Each)
WEIGHT	: 246KG
INCLUDES	: 6 Baking trays - 600 X 400MM
REGULATOR	: No

OTHER ORDER CODES

CERAMIC PLATE - 600 X 400MM

DOA0011

STAND ONLY - M/STEEL (BLACK)

DOS0002

DECK OVEN STACKING KIT

DOS1001

Note

Heavy duty gas products to be connected by an approved gas installer

SALAMANDER - GAS

FEATURES

- Full S/Steel construction
- Brackets provided to secure unit to wall
- Top surface with wire grid to allow for plate warming
- Adjustable levelling feet
- Provided with removable back cover so that unit can be used as pass through hatch
- High performance radiant ceramic burner
- Controls with flame failure safety
- Unit provided with LPG regulator and hose



75LT

SAG0002

SPECIFICATIONS

GAS	: LPG
POWER OUTPUT	: 21800 BTU
DIMENSIONS	: 897 X 493 X 510MM
WEIGHT	: 30KG
REGULATOR	: Yes

Note

Heavy duty gas products to be connected by an approved gas installer

ELECTRIC DECK OVENS WITH HUMIDIFICATION



- FEATURES**
- Robust body manufactured from stainless steel
 - 16 program settings
 - Top hinged door with front glass for easy loading and viewing
 - Ceramic stone bases on each deck
 - Steam function
 - Each deck fitted with adjustable vent
 - Fitted with (4x) robust casters

TRIPLE DECK SPECIFICATIONS

MODEL	BakeMark SmartStone XYF-39H-N
ELECTRICITY	25kW, 380V, 3 Phase + N
DIMENSIONS	1750 x 1080 x 1750mm high
WEIGHT	750kg
CHAMBER DIMENSIONS	(3x) 1300 x 750 x 170mm high
CHAMBER CAPACITY	(3x) 600 x 400mm trays
TEMP RANGE	20 to 300°C
ORDER CODE	DOB/S3309

- **Electronic control**
- **Humidification**
- **Stone base**



OPTIONAL EXTRAS

BAKING TRAY
600 x 400 x 30mm **BTA0064**



FEATURES

- Robust construction
- Fitted with glass viewing windows
- Individually controlled internal lighting per deck
- Fitted with (4x) castors
- Bottom hinged doors for easy loading
- Top and bottom elements individually controlled for each deck
- Timer with buzzer individually controlled per deck
- Ceramic stone bases available on request



3 DECK, 9 TRAY

SPECIFICATIONS

MODEL	BakeMark HEO-39
ELECTRICITY	25kW, 380V, 3 Phase + N
DIMENSIONS	1650 x 815 x 1530mm high
WEIGHT	230kg
CHAMBER DIMENSIONS	(3x) 1300 x 620 x 220mm
CHAMBER CAPACITY	(3x) 600 x 400mm trays
TEMP RANGE	50 to 300°C

ORDER CODE

DOB3309



3 DECK, 6 TRAY

SPECIFICATIONS

MODEL	BakeMark HEO-36
ELECTRICITY	19.5kW, 380V, 3 Phase + N
DIMENSIONS	1220 x 815 x 1530mm high
WEIGHT	165kg
CHAMBER DIMENSIONS	(3x) 860 x 620 x 220mm
CHAMBER CAPACITY	(2x) 600 x 400mm trays
TEMP RANGE	50 to 300°C

ORDER CODE

DOB3206



2 DECK, 4 TRAY

SPECIFICATIONS

MODEL	BakeMark HEO-24
ELECTRICITY	13.2kW, 380V, 3 Phase + N
DIMENSIONS	1220 x 815 x 1260mm high
WEIGHT	125kg
CHAMBER DIMENSIONS	(2x) 860 x 620 x 220mm
CHAMBER CAPACITY	(2x) 600 x 400mm tray
TEMP RANGE	50 to 300°C

ORDER CODE

DOB2204



OPTIONAL EXTRAS

BAKING TRAY

600 x 400 x 30mm

BTA0064

FEATURES

- Robust construction
- Top and bottom elements individually controlled for each deck
- Fitted with the glass viewing window
- HEO-24 & HEO-22 - Fitted with (4x) castors
- Ceramic stone bases available on request
- Bottom hinged doors for easy loading
- Individually controlled internal lighting per deck
- Timer with buzzer individually controlled per deck
- HEO-11 - Fitted with (4x) non-slip rubber feet



2 DECK, 2 TRAY

SPECIFICATIONS

MODEL	BakeMark HEO-22
ELECTRICITY	6.4kW, 230V, Single Phase
DIMENSIONS	880 x 580 x 770mm high
WEIGHT	50kg
CHAMBER DIMENSIONS	(2x) 620 x 420 x 160mm
CHAMBER CAPACITY	(1x) 600 x 400mm tray
TEMP RANGE	50 to 300°C

ORDER CODE

DOB2102



1 DECK, 1 TRAY

SPECIFICATIONS

MODEL	BakeMark HEO-11
ELECTRICITY	3.2kW, 230V, Single Phase
DIMENSIONS	880 x 580 x 350mm high
WEIGHT	35kg
CHAMBER DIMENSIONS	(1x) 620 x 420 x 160mm
CHAMBER CAPACITY	(1x) 600 x 400mm tray
TEMP RANGE	50 to 300°C

ORDER CODE

DOB1101



OPTIONAL EXTRAS

BAKING TRAY

600 x 400 x 30mm

BTA0064



FEATURES

- Body manufactured from 0.8mm, 430 grade stainless steel
- Flame-out protection function
- Gas burner manufactured from SS304 stainless steel
- Fitted with timer to control
- Fitted with high quality digital display panels
- Fitted with heat resisting light
- Aluminum plated chambers for increased thermal radiation
- Double electromagnetic valve control
- Bottom hinged door with double tempered glass windows
- Each deck is fitted with a pizza stone base
- Electricity required for control operations
- Ceramic stone bases available on request



3 DECK, 9 TRAY SPECIFICATIONS

MODEL	BakeMark HLY-309E
ELECTRICITY	0.2kW, 220V, Single Phase
BTU RATING	102 000
DIMENSIONS	1750 x 965 x 1720mm high
WEIGHT	370kg
CHAMBER DIMENSIONS	(3x) 1330 x 710 x 185mm high
CHAMBER CAPACITY	(3x) 600 x 400mm trays per deck
TEMP RANGE	30 to 400°C

ORDER CODE

DOB/3309G



2 DECK, 6 TRAY SPECIFICATIONS

MODEL	BakeMark HLY- 206E
ELECTRICITY	0.15 kW, 220V, Single Phase
BTU RATING	68 000
DIMENSIONS	1750 x 965 x 1375mm high
WEIGHT	290kg
CHAMBER DIMENSIONS	(3x) 1330 x 710 x 185mm high
CHAMBER CAPACITY	(3x) 600 x 400mm trays per deck
TEMP RANGE	30 to 400°C

ORDER CODE

DOB/2306G



1 DECK, 3 TRAY SPECIFICATIONS

MODEL	BakeMark HLY-103E
ELECTRICITY	0.075kW, 220V, Single Phase
BTU RATING	34 000
DIMENSIONS	1750 x 965 x 650mm high
WEIGHT	250kg
CHAMBER DIMENSIONS	1330 x 710 x 185mm high
CHAMBER CAPACITY	(3x) 600 x 400mm trays
TEMP RANGE	30 to 400°C

ORDER CODE

DOB/1303G



GAS OVEN
LPG or NATURAL GAS



3 TRAYS PER DECK

OPTIONAL EXTRAS

BAKING TRAY
600 x 400 x 30mm

BTA0064

FEATURES

- Body manufactured from 0.8mm, 430 grade stainless steel
- Flame-out protection function
- Gas burner manufactured from SS304 stainless steel
- Fitted with timer to control
- Fitted with high quality digital display panels
- Fitted with heat resisting light
- Aluminum plated chambers for increased thermal radiation
- Double electromagnetic valve control
- Bottom hinged door with double tempered glass windows
- Each deck is fitted with a pizza stone base
- Electricity required for control operation
- Ceramic stone bases available on request



2 DECK, 4 TRAY

SPECIFICATIONS

MODEL	BakeMark HLY-204
ELECTRICITY	0.15kW, 220V, Single Phase
BTU RATING	51 000
DIMENSIONS	1395 x 965 x 1240mm high
WEIGHT	260kg
CHAMBER DIMENSIONS	(2x) 870 x 665 x 185mm high
CHAMBER CAPACITY	(2x) 600 x 400mm trays per deck
TEMP RANGE	30 to 400°C

ORDER CODE

DOB/2204G



1 DECK, 2 TRAY

SPECIFICATIONS

MODEL	BakeMark HLY-102
ELECTRICITY	0.075kW, 220V, Single Phase
BTU RATING	27 000
DIMENSIONS	1395 x 965 x 710mm high
WEIGHT	150kg
CHAMBER DIMENSIONS	870 x 665 x 185mm high
CHAMBER CAPACITY	(2x) 600 x 400mm trays per deck
TEMP RANGE	30 to 400°C

ORDER CODE

DOB/1202G



GAS OVEN
LPG or NATURAL GAS



**2 TRAYS
PER DECK**

OPTIONAL EXTRAS

BAKING TRAY

600 x 400 x 30mm

BTA0064

ALUMINUM BAKING TRAYS

SmartChef



600 x 400 x 30mm

MODEL
DIMENSIONS

SmartChef BTA0064
600 x 400 x 30mm deep

ORDER CODE

BTA0064

430 x 345 x 10mm

MODEL
DIMENSIONS

SmartChef BTA0043
430 x 345 x 10mm deep

ORDER CODE

BTA0043

STAINLESS STEEL OVEN GRIDS



600 x 400mm

MODEL
DIMENSIONS

SmartChef OGS0064
600 x 400mm

ORDER CODE

OGS0064

GN 1/1

MODEL
DIMENSIONS

SmartChef OGS0011
530 x 325mm

ORDER CODE

OGS0011

STAINLESS STEEL COOLING RACKS



600 x 400mm

MODEL
DIMENSIONS

SmartChef CTS0064
600 x 400mm

ORDER CODE

CTS0064

